




G6 Bullet

UVC-G6-Bullet-B



Overview

Dimensions

Without mount: Ø82 x 88.8 mm
(Ø3.2 x 3.5")

With mount: Ø82 x 153 mm
(Ø3.2 x 6")

IR Night Vision

30 m (98 ft)

Face Recognition

✓

License Plate Recognition

✓

Smart Detections (People, Vehicles, Animals)

✓

Resolution

4K

Field of View

H: 109.9°, V: 56.7°, D: 134.1°

Audio

Microphone

Weatherproofing	IP66
Tamper Resistance	IK04
Mounting	Wall, ceiling, pole mount (Included) Junction box, angled base (Optional)

Performance

Networking Interface	10/100 MbE RJ45 port
----------------------	----------------------

Video

<ul style="list-style-type: none">• Image Settings	Color, brightness, sharpness, contrast, white balance, exposure control, 2DNR, 3DNR, NR by motion, masking, text overlay, HDR
--	---

<ul style="list-style-type: none">• Max. Frame Rate	30 FPS
---	--------

<ul style="list-style-type: none">• Resolution	8MP 3840 x 2160 (16:9)
--	------------------------

Optics

<ul style="list-style-type: none">• Sensor	1/1.8" 8MP
--	------------

<ul style="list-style-type: none">• Lens	Fixed focal length
--	--------------------

<ul style="list-style-type: none">• Night Mode	Built-in IR LED illumination and IR cut filter
--	--

Hardware

Max. Power Consumption	9.9W
------------------------	------

Supported Voltage Range	37–57V DC
-------------------------	-----------

Power Method	PoE
--------------	-----

Processor	Quad-core Arm® Cortex®-A53 based chip
-----------	---------------------------------------

Pole Mount Diameter	1.5–2" (38–50 mm)
---------------------	-------------------

Weight	Without mount: 587 g (1.3 lb) With mount: 737 g (1.6 lb)
Enclosure Material	Polycarbonate, aluminum alloy
Mount Material	Wall mount: aluminum alloy, polycarbonate Pole mount: aluminum alloy
Button	(1) Factory-reset
Ambient Operating Temperature	-20 to 50° C (-4 to 122° F)
Ambient Operating Humidity	0 to 90% noncondensing
NDAA Compliant	✓
Certifications	CE, FCC, IC

For more information about this product or other Ubiquiti products, please visit: <https://techspecs.ui.com>